

Form : HPP-OSP-002 Revision: 3 Date: 4/06/2006	JEFFERSON LAB Radiation Work Permit	Applicable to procedure: HPP-OSP-001 Sheet 1 of 4
--	---	---

Serial Number: 2007-G001	Start Date: 1-31-2007	Expiration Date: 1-31-2008
--------------------------	-----------------------	----------------------------

Work Area/Description of Work: Accelerator tunnel, Hall-A, Hall-B, Hall-C, Free Electron Laser.
General access requirements for entry into any beam enclosure listed above.

Beam enclosure areas addressed by this RWP are normally designated and posted as Radiologically Controlled Areas (RCA) and Radioactive Material Areas when accessible, except as noted in the special instructions. Other radiological conditions and postings may be present in the enclosure, including Radiation Areas, High Radiation Areas, Contamination Areas, and Airborne Radioactivity Areas. Access to these areas usually requires a minimum of concurrence of the Radiation Control Department, and may require additional controls.

A beam enclosure is any area where primary electron beams may be present. This RWP applies only to work in these areas during routine access conditions. It shall not limit the access of emergency personnel in the event of an accelerator emergency requiring access.

Task Description: Perform general maintenance, equipment installation/removal, testing, walk-through, and inspections. This RWP shall be the radiological work control document for all work in beam enclosures which is not specifically addressed by a Job-Specific or Standing RWP.

Work Area Radiological Conditions:

___*___ Radiation Levels: Maximum _____ Contact _____ Whole Body _____	___*___ Contamination Levels: Maximum _____ Location _____	___*___ Airborne Levels: Maximum _____ Location _____
---	--	---

___*___ Other _____

*** See survey maps in Machine Operations Control Center and posted at access points for radiological survey data. See continuation sheet for further information and limitations.**

ALARA Estimate: Expected cumulative dose less than 1 person-rem.
 _____(Total Man-hours) X _____(Whole Body Exposure Rate) = _____ Man-Rem

Training Requirements for Entry on this RWP:
 ___X___ Radiation Worker I ___ Radiation Worker II ___ Respirator Qualified
***Also see special instructions**

Dosimetry Requirements for Entry:
 ___X___ TLD ___ SRPD ___ Alarming Dosimetry ___ Dose Rate meter
***Also see special instructions**
 ___ Multiple Dosimetry (as specified below):

 ___ Extremity Dosimetry(as specified below):

Form : HPF-OSP-002
Revision: 3
Date: 4/06/2006

JEFFERSON LAB
Radiation Work Permit
(2007-G001)

Applicable to procedure:
HPP-OSP-001
Sheet 2 of 4

Protective Clothing Requirements: None

Full Protective clothing (coveralls, booties, overshoes, cotton liners, rubber gloves, hood)

Partial protective clothing (as specified below):

Special protective clothing (as specified below):

Respiratory equipment (as specified below):

Radiological Controls Coverage Requirements:

Continuous Intermittent None

Special Instructions/ Consideration /Stay-time Controls:

Dose Tracking required Pre-job briefing required Other (as specified below)

GENERAL:

- 1) Do not enter any area posted "Radiation Area" unless authorized on the posting or by the Radiation Control Department (RCD).
- 2) Do not enter any area posted "High Radiation Area" or "Contamination Area".
- 3) Do not enter any area posted "Airborne Radioactivity Area" unless specifically authorized on the posting.
- 4) Do not drill, grind, or weld on any beamline components (includes girders, supports, stands, etc.) without approval from the RCD.
- 5) Do not drain or open any liquid systems labeled "Potential Internal Contamination" without RCD approval.
- 6) The following locations or systems shall be considered potentially contaminated (**regardless of labeling**) and require notification of RCD prior to opening or entry.
 - a) Any cooling water system associated with components which absorb part of the beam's energy.
 - b) Any air conditioning (HVAC) system which transports ambient air in a beam enclosure (see exceptions on continuation form). Filter media, condensate and lubricants from any such system are to be treated as contaminated and handled only by appropriately trained workers.
 - c) Beam enclosure floor drains, related piping, sumps, pumps and discharge locations.
 - d) Mechanical vacuum pumps associated with the primary beam vacuum chamber or cryogenic targets.
 - e) Target assemblies, or any other component on which the primary beam is directed.

SEE CONTINUATION FORM FOR ADDITIONAL INSTRUCTIONS

Radiological Conditions that may void this RWP:

Approvals:

Submitted by: K. B. W. 1 / 17 / 07 Work Supervisor N/A / / /
date date date

Approved by RCD manager (or designee) ee j all 1 / 17 / 07

Cancellation:

This RWP is cancelled as of _____ by _____
Date

Form : HPF-OSP-005 Revision: 3 Date: 4/06/2006	JEFFERSON LAB Radiation Work Permit Continuation Form	Applicable to procedure: HPP-OSP-001 Page 3 of 4
--	--	--

RWP Number: <u>2007-G001</u>	Date Issued: <u>1-31-2007</u>
------------------------------	-------------------------------

Date	Comments
	General Instructions – Continued from Page 2
1-31-07	7) All material located in a beam enclosure during beam operation must be monitored for radioactivity upon removal from the enclosure (see exceptions below). An Assigned Radiation Monitor (ARM) may survey items for removal from the enclosure (i.e. to make accessible for release survey), but shall not release any item from radiological control. Only a qualified Radiological Control Technologist (RCT) may approve the release of such items as non-radioactive.
	8) Notify RadCon prior to removing any beamline component from its installed location. This applies to the beamline proper, beamline diagnostic equipment, girders and their components, support stands and any associated shielding.
	9) All stored radioactive material is the responsibility of the radioactive materials custodian applicable to the system or work area.
	10) No eating, drinking or smoking is permitted in beam enclosures.
	11) This RWP does not apply to visitors. Visitors must be escorted at all times while in an RCA by a trained Radiation Worker, and must obtain the appropriate dosimetry from RadCon. Visitors may not enter ANY area posted beyond the level of RCA (eg. Radiation Area).
	12) Upon cessation of beam operations, a radiation survey of the enclosure must be performed prior to allowing general access applicable to this RWP. See specific requirements below.
	13) Any “hands-on” work directly on a posted Hot Spot shall be approved by RadCon in advance.
	14) Do not alter any installed shielding bearing a “Controlled Shielding Configuration” label without specific approval from RadCon.
	15) All metal waste released from a beam enclosure as non-radioactive must be disposed of by means <i>other than recycling</i> . Waste disposal bins that can be used for this purpose are located near building 72 (Phys. Storage Bldg.) on the accelerator site and building 90 (EEL) offsite.
	16) Radioactive material which causes the presence of a Radiation Area, or which has surface contamination in excess of applicable control limits shall not be stored out of doors without specific concurrence from the RadCon Manager and the Hall Leader/Operability Manager, as applicable.
	Special Instructions
	ALL AREAS
	Automated, “rapid access” area monitoring systems may be used under certain conditions. When these systems are used, the following requirements apply.
	1) The magenta beacon at the entry door must be OFF for entry. If not, a radiation survey is required.
	2) The system shall be tested during initial entry (by pressing a test switch and verifying beacon operation) under direction of the Personnel Safety System Operator (SSO).
	3) When entering via rapid access protocol, no access beyond established boundaries in these areas is permitted without a specific survey of the area.
	4) When entering any area (other than the CEBAF injector) via rapid access protocol, no hands-on work on beam lines or targets is permitted without a survey of the affected area. <i>(Rapid access entry is currently permitted in Hall B, the CEBAF Injector, and the FEL)</i>
	END STATIONS
	1) Any cryogenic target system which contains or may have contained He-3 shall be considered potentially internally contaminated. Do not open, vent, or modify any such target system without RadCon approval.

Form : HPF-OSP-005 Revision: 3 Date: 4/06/2006	JEFFERSON LAB Radiation Work Permit Continuation Form	Applicable to procedure: HPP-OSP-001 Page 4 Of 4
--	--	--

RWP Number: <u>2007-G001</u>	Date Issued: <u>1-31-2007</u>
------------------------------	-------------------------------

Date	Comments
1-31-07	Special Instructions – Continued from Page 3
	HALL A and C
	1) Certain components and spaces are subject to a buildup of low-level contamination. Examples include the interior of equipment racks, ventilated electronic components such as computer CPUs, power supplies, etc., all ventilation fans and ductwork, and devices that may electrostatically collect dust from the air (including CRT monitors and photomultiplier tubes). Routine work in or on this equipment does not require notification of RadCon. However, the following tasks require RadCon approval and the use of PPE.
	a) Handling, cleaning or removing filter media housed in this equipment
	b) Large-scale cleaning of this equipment such as component wipe-down, vacuuming, or any use of compressed air for cleaning
	c) Large scale tear-out, teardown or overhaul of rack spaces.
	- <i>Minimum PPE for the above tasks is gloves, regardless of contamination levels.</i>
	All such equipment must be assessed for contamination by RadCon prior to release from control.
	The above controls may be modified based on assessments by RadCon
	HALL B
	1) Air handling (HVAC) systems in hall B are not subject to the contamination controls described in the general instructions.
	2) Equipment which is not part of the beam line may be removed without a radiological survey - IF IT IS KNOWN THAT THE MATERIAL OR EQUIPMENT HAS NEVER BEEN LOCATED OR INSTALLED WITHIN ONE METER OF THE BEAMLIN.
	3) The radiological posting level of Hall B is normally “Radiologically Controlled Area”. If radiological conditions allow, the posting level may be reduced to “Controlled Area” (dosimetry not required). Radioactive Material Area designation and survey requirements above apply at all times.
	Always check the local postings prior to entry
	FREE ELECTRON LASER
	1) Laser diagnostic equipment (i.e. power meters, etc.) used both in the FEL vault and drive laser Room may be moved between these areas provided it is surveyed by an ARM prior to removal from the vault and found to have no detectable radioactivity.
	2) Air handling (HVAC) systems in the FEL vault are not subject to the contamination controls described in the general instructions.
	CEBAF INJECTOR
	1) The radiological status of the injector (gun area up to the North Linac gate) is as follows: During Controlled Access – Radiologically Controlled Area, Dosimetry Required During Restricted Access – Controlled Area, Dosimetry not required.
	2) Items which have resided exclusively within the injector segment may be removed without a radiological survey.
	Note: “Beamline” means primary electron beam vacuum chamber and any other envelope in which the primary electron beam is contained.
	To contact RadCon, call 876-1743 or 876-5342, or contact the MCC Crew Chief.

[Click here when you have read and understand this document](#)