



Jefferson Lab Alignment Group

Data Transmittal

TO: B. Sawatzky, J. Butler

DATE: 10/21/2016

FROM: Kelly Tremblay

Checked: (cwg)

: A1739

DETAILS:

Data: Aalign\Electron&sh\2016\E102016A

Below are the results from the survey of the left spectrometer on October 20th, 2016. The horizontal pointing value shows how much the central axis of the spectrometer misses the ideal target. This value is perpendicular to the spectrometer axis, not along the beam line. For the vertical pointing, a positive value indicates that the spectrometer is pointing above the target.

For a graphical representation, please see the sketch at the end of this transmittal

===== RESULTS ===== E102016A

The central ray of the spectrometer is at 137.999 degrees
The central ray is missing the defined target center by 1.07 [mm] Downstream
and -1.98 mm vertically [positive value is up]

If the offset is corrected by secondary alignment, the spectrometer will be at -42.008 degrees

To achieve this optimal setting
make the following adjustments:
spectrometer will be at -42.008 degrees
Horizontal corrections:

Move rear jacks along tangent 1.09 mm Downstream

9 Par Aposter Val : 0.13 (mm)
No 3DD output file available to report std. dev

E102016A

Beam Direction

- Beam-Spec Intercept Point
- Beam-Spec Perpendicular Point
- Spectrometer Projected Target Point
- ✕ Straight-Ahead Target Point [ideal]

angles: delta : 42.00082 [degrees]
beam : 142.49998 [degrees]
spectrometer: 184.50080 [degrees]

perpendicular distance : 1.071 [mm]
target - intersect dis : 1.600 [mm]
found target - intersect dis : 1.986 [mm]
Spectrometer is -1.98 lower than ideal target [mm]

- Spectrometer Line
- Straight-Ahead Beam
- - Perpendicular line

